Term End Exam Scheduling at USMA, West Point September 2001

Michael R. Bussieck
GAMS Development
Corp.


Fred O'Brien
United States
Military
Academy.

Siqun Wang
Wharton School
Univ. of Pennsylvania



USMA Mission

To educate train, and inspire the Corps dets so that each graduz missioned leader of ca. pitted to the values or Country; professional ghout a nited career as an ox States Army; and time of selfless service to the nation.







Academic Scheduling

- Term end exam (TEE) scheduling
 - Scheduling preparation
 - Find good schedules for exam courses and cadets.
 - Post scheduling

- Course scheduling
 - For a given set of course offerings find good schedules for all cadets.








Term End Exam Scheduling

morning period

afternoon period

1	2	6
CE371	CH101	EV203
CH384	CS408	PH203
CS383	EE301	PL300
HI366	EN302	LR204
CE404	LF382	CE403
LG484	SE388	CS380
LS362	SS388	SS201
MS350		•••

Term End Exam Courses (≈250 courses)



≈20000 exams



Overcoming Conflicts

Schedule with conflicts

Cadet's 8TAP:

1	2	6		PL300
CE371	CH101	EV203		CE37
CH384 CS383	CS408 EE301	PH203 PL300		CE402
H1366	EN302	LR204		CS380
CE404 LG484	LF382 SE388	CE403 CS380		EV18
LS362 MS350	SS388 CE403	SS201 	3	HI302

- Makeup/ahead for an exam course:
 - An additional exam offering for a small group of cadets who can not go to the primary exam offering
- Resolve conflicts by adding makeup/ahead

TEE Scheduling

- Given exam courses
 - MA481 CE371 CH100 .
- Given exam periods
 - p1, p2, p3, ... p12
- Given cadet's exam course 'requests'
 - 043671571,CE403
 - 043671571,CE380
- Find an assignment of exam course sessions (primaries, makeups) to periods and cadet's requests to exam courses sessions.
 - CE403,prim,p12 CE403,mkup,p4 CE380,prim,p4 ...
 - 043671571,CE403,p4 043671571,CE380,p4 ...
- Objective: Minimize the total number of makeups



TEE Constraints

- No conflicts (no cadet in more than one exam sessions per period) (Conflict)
- All exam courses and all exam requests must be assigned (Assign)
- Parts of the exam session schedule (i.e. fixed periods for some primaries) may be given (Fixed)
- Primary exam session enrollment minimum (e.g. 75%) (PrimEnroll)
- Certain periods are prohibited for certain exam courses. (Prohibited)



More TEE Constraints

- Inclusive/Exclusive groups
 - Some primaries must be scheduled together (Inclusive)
 - Some exam courses must be scheduled apart (Exclusive)
- Courses with no makeups allowed (No makeups)
- Plebe/Firsties constraints
 - One exam a day for Plebes (Exams per day)
 - Exam period is over by period X for Firsties (Finished)
- Consecutive (back to back) exam limit (Consecutive)
- Produce schedules in a timely fashion

GAMS

An Optimization Model

Variables

$\mathbf{x}(c,r,p)$	cadet request to course/period	250.000
y(r,s,p)	course session to period	s *3.000
z(r,p)	primary indicator	3.000

Constraints

<pre>Conflict</pre>	50.000
Assign	20.000
PrimEnroll $\sum x(c,r,p) \ge 0.75 \cdot enroll(r) \cdot z(r,p), \sum z(r,p) = 1$	3.250
<pre>Consecutive ^c</pre>	36.000
Exams per day	6.000
<pre>Inclusive</pre>	I *12
• Exclusive s	*12
Fixed, Prohibit, No makeup, Finished by varia	able fixing
Coupling of x and y $\sum x(c,r,p) \le enroll(r) \cdot y(r,s,p)$	*3.000



Analysis of this Model

- Consecutive Constraint is a headache
 - Many constraints, lots of non zeros
 - 'Unimportant' constraint
 - drop Consecutive constraint from model
- Problem is large
- Problem is (integer) infeasible
- Model with penalized violations expensive
 - CPLEX 7.1 doesn't find any integer solution for a feasible model within 24h on a 1GHz PC
 - CPLEX 7.1 doesn't improve a given bad integer solution (using mipstart) within 24h on a 1GHz PC




Solution Approach

- Heuristic based on a collection of medium sized optimization models produces conflict free schedules and automatically relaxes constraints.
- Improvement module starts with a good/ mediocre solution and a set of relaxed constraints and tries to
 - Improve number of makeups
 - Reinforce relaxed constraints



Solution Improvement

- Given a solution
 - Assignment of exam courses (primary and makeup) to periods
 - Assignment of cadets to periods
 - Set of relaxed constraints



Improvement Model 1

- Fixed assignment of cadet request to exam course session
 - Variable transformation $x(c,r,p) \sim x(c,r,s)$
- Variables

w(r,p)open period for course session

3.000

y(r,s,p) course session to period

|s'|*3.000

Constraints

Conflict

$$\sum_{r,s} y(r,s,p) \le 1$$

50.000

Exams per day

6.000

Inclusive/Exclusive

- Fixed, Prohibit, No makeup, Finished by variable fixing
- Coupling of w and y

3.000

Objective

$$y(r,s,p) \le w(r,p)$$

- Min sum((r,p),w(r,p)) (folds sessions of the same course)
- Min violations of relaxed constraints



Improvement Model 2

- Fixed assignment of exam sessions to periods
- Variables

$\mathbf{x}(c,r,s)$	cadet request to course session	250.000
y(r,s,p)	course session open	s ' +250

Constraints

<pre>Conflict</pre>	20.000+a(S')
Exams per day	6.000
Finished	by variable fixing
Coupling of x and y	S' +250


Objective


Min sum((r,s,p),y(r,s,p)) + enrollment in makeup
(closes some sessions and reduces enrollment in makeup)



Improvement Algorithm

- The model 1 and 2 are iteratively repeated
- Model 1 requires a good/mediocre solution
 - Size and running time depend on number of makeups in the initial solution (need heuristic)
- The different cadet/session assignment makes new course/period assignment likely and vice versa.
 - The constraint reinforcing objective shocks the system if it is stuck
- Terminates when out of time (user input) or shocking doesn't help







Feasibility Study

- TEE last application of legacy system
 - Mainframe, Cobol, ~1980
 - Maintenance + on-site personnel: \$500,000/year
- By March 2001: decision for renewal
- TEE Schedule for AY2001/2 (End of May 2001)
 - Chuck + Legacy system
 - Partial schedule, approx. 90 makeups (4 Weeks)
 - Chuck + GAMS TEE scheduler
 - Complete schedule, no conflicts, 60 makeups (10 minutes)
 - The improver module produced schedule with 40 makeups



More Computational Results

- Three data sets 01/2,02/1(early),02/1
- Constraint violations 'OK'

Year	Courses	Periods	Requests	Makeups
01/2	226	12	18937	38
02/1 early	213	12	18512	49
02/1	252	11	21175	61



Improvement over Time

